

# AP2001G

## DESCRIPTION

NORYL™ AP2001G polyol is a low molecular weight di-functional hydroxyl-terminated polyol based on polyphenylene ether (PPE). The incorporation of NORYL AP2001G polyol into a solid elastomer matrix may demonstrate structure-property benefits in traditional CAST polyurethane material formulations.

Incorporating NORYL AP2001G polyol into these systems may:

- Improve toughness and reduce abrasion
- Increase tensile strength
- Improve strain modulus and elongation
- Maintain physical properties at elevated temperatures and after humid aging
- Improve resistance to alkaline, acid, water and oil
- Improve adhesion to steel

## TYPICAL PROPERTY VALUES

Revision 20231109

PROPERTIES	TYPICAL VALUES	UNITS	TEST METHODS
<b>THERMAL</b>			
Tg (half width)	140	°C	SABIC method
<b>PHYSICAL</b>			
Physical Form	PELLET	-	SABIC method
Hydroxy Equivalent Weight (HEW)	880	g/eq	SABIC method
Moisture Content	<0.5	%	SABIC method

## DISCLAIMER

Any sale by SABIC, its subsidiaries and affiliates (each a "seller"), is made exclusively under seller's standard conditions of sale (available upon request) unless agreed otherwise in writing and signed on behalf of the seller. While the information contained herein is given in good faith, SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY AND NONINFRINGEMENT OF INTELLECTUAL PROPERTY, NOR ASSUMES ANY LIABILITY, DIRECT OR INDIRECT, WITH RESPECT TO THE PERFORMANCE, SUITABILITY OR FITNESS FOR INTENDED USE OR PURPOSE OF THESE PRODUCTS IN ANY APPLICATION. Each customer must determine the suitability of seller materials for the customer's particular use through appropriate testing and analysis. No statement by seller concerning a possible use of any product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right.